

Safety Data Sheet acc. to OSHA HCS

Printing date 02/16/2021

1 Identification

· Product identifier

- · Trade name: ALT Thixo Liquid
- · Article number: 133-000-120U
- · Application of the substance / the mixture Thickening agent
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

ALT Global, LLC 12 Dwight Place Fairfield, NJ 07004 USA Tel.: +1 973-287-6158 Fax: +1 973-287-6168 Internet: www.altglobal.com

· Information department:

Division product safety Mr. Bonyadlou Tel.: +1 973-287-6158 E-Mail: mbonyadlou@altglobal.com **Emergency telephone number:**

For Chemical Emergency Spill Leak Fire Exposure or Accident Call CHEMTREC Day or Night

DOMESTIC NORTH AMERICA 800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- NFPA ratings (scale 0 4)



HMIS-ratings (scale 0 - 4)

HEALTHIFIRE1Fire1REACTIVITY0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Does not meet the PBT-criteria of Annex XIII of REACH (self assessment).
- · vPvB: Does not meet the vPvB-criteria of Annex XIII of REACH (self assessment).

US

Reviewed on 07/09/2020

Safety Data Sheet acc. to OSHA HCS

Reviewed on 07/09/2020

Trade name: ALT Thixo Liquid

(Contd. of page 1)

≥2.5-<10%

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

7447-41-8 lithium chloride

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product. Take affected persons out of danger area and lay down. Involve doctor immediately.

· After inhalation:

In case of unconsciousness place patient stably in side position for transportation. Take affected persons into fresh air and keep quiet.

Seek medical treatment.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

- If skin irritation continues, consult a doctor. • After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

- Environmental precautions:
- Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)



Printing date 02/16/2021

Safety Data Sheet acc. to OSHA HCS

Printing date 02/16/2021

Trade name: ALT Thixo Liquid

Reviewed on 07/09/2020

-		(Contd. of page 2
Protective PAC-1:	Action Criteria for Chemicals	
7447-41-8	lithium chloride	2.3 mg/m ²
67-68-5	dimethyl sulfoxide	150 ppm
PAC-2:		
7447-41-8	lithium chloride	25 mg/m ³
67-68-5	dimethyl sulfoxide	290 ppm
PAC-3:		
7447-41-8	lithium chloride	150 mg/m ³
67-68-5	dimethyl sulfoxide	1,800 ppm

7 Handling and storage

· Handling:

· Precautions for safe handling

When using do not eat, drink or smoke.

at least 7-fold air changes per hour

Information about protection against explosions and fires:



Keep ignition sources away - Do not smoke.

Usual measures for preventive fire protection.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Store only in the original receptacle.
- Store in a cool location.

Observe provisions of the Ordinance on Industrial Safety.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Reviewed on 07/09/2020

ALT COMPANY

Printing date 02/16/2021

Trade name: ALT Thixo Liquid

Check protective gloves prior to each use for their proper condition.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Our Recommendation is mainly on a one-time use as a short-term protection Liquid splashes. For other applications, you should contact a glove manufacturer.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

 For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable: Durchdringungszeit: 120 min

Butyl rubber, BR

- For the permanent contact gloves made of the following materials are suitable: Butyl rubber, BR
- Not suitable are gloves made of the following materials: Leather gloves
- Eye protection:



Tightly sealed goggles

· Body protection:



Protective work clothing

Information on basic physical and General Information	l chemical properties	
Appearance: Form:	Fluid	
Color:	Dark yellow	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	< 10 °C >200 °C (>392 °F)	
Flash point:	95 °C (203 °F) (Pensky-Martens)	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	> 200 °C	
Danger of explosion:	Product does not present an explosion hazard.	



Reviewed on 07/09/2020

Printing date 02/16/2021

Trade name: ALT Thixo Liquid

	(Contd. of page
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure:	< 1 hPa
 Density at 20 °C (68 °F): Evaporation rate 	1.16 g/cm³ (9.68 lbs/gal) (1013 hPa; Biegeschwinger) Not determined.
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wa	ater): Not determined.
[·] Viscosity: Dynamic at 20 °C (68 °F):	550 mPas (P/K)
 Solvent content: Organic solvents: VOC content: 	0.0 % 0.00 % 0.0 g/l / 0.00 lb/gal
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity see Section 10.2
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:
- Sulfur oxides (SOx)
- Kohlenstoffoxide

No dangerous decomposition prodocts used accordind to specifications.

Additional information:

Emergency procedures will vary depending on individual circumstances. The customer should have a contingency plan to the workplace may be present.

11 Toxicological information

· Information on toxicological effects There were no toxicological findings to the mixture.

- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:
- ATE (Acute Toxicity Estimate)
- Oral LD50 17,534 mg/kg (rat)

7447-41-8	lithium	chloride
-----------	---------	----------

Oral	LD50	526	mg/kg	(rat

Dermal LD50 >2,000 mg/kg (rat) (Acute dermal toxicity)

Inhalative LC50 >5.57 mg/l (rat) (Staub)

- · Primary irritant effect:
- on the skin: no data available



Printing date 02/16/2021

Trade name: ALT Thixo Liquid

Reviewed on 07/09/2020

(Contd. of page 5)

- · on the eye: no data available
- · Sensitization: no data available
- Subacute to chronic toxicity: not tested
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- 7447-41-8 lithium chloride
- NOEC/48h 63.4 mg/l (daphnia magna) (OECD-Richtline 202)
- · Aquatic toxicity:
- 7447-41-8 lithium chloride
- LC50/48h 249 mg/l (daphnia magna) (OECD-Richtline 202)
- LC50/96h 158 mg/l (Rainbow trout) (Acute toxicity to fish)
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · **Bioaccumulative potential** No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Does not meet the PBT-criteria of Annex XIII of REACH (self assessment).
- · vPvB: Does not meet the vPvB-criteria of Annex XIII of REACH (self assessment).
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

Hazardous waste according to Waste Catalogue (EWC). If recycling is not possible, waste must be in compliance with local regulations to be removed.

· Recommendation: Empty containers to an approved waste handling site for recycling or disposal.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

US-

(Contd. of page 6)



Safety Data Sheet acc. to OSHA HCS

Reviewed on 07/09/2020

Printing date 02/16/2021

Trade name: ALT Thixo Liquid

14 Transport information · UN-Number · DOT, ADR, ADN, IMDG, IATA Void · UN proper shipping name DOT, ADR, ADN, IMDG, IATA Void · Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA · Class Void · Packing group DOT, ADR, IMDG, IATA Void · Environmental hazards: · Marine pollutant: No · Special precautions for user Not applicable. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT · Remarks: Classification according to viscosity clause [(173.120 (2)(d) and 173.121 (b) (iv)] · UN "Model Regulation": Void

15 Regulatory information

 $^{\rm \cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\rm \cdot}$ Sara

 Section 355 (extremely hazardous substances): 	
None of the ingredient is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
7447-41-8 lithium chloride	ACTIVE
67-68-5 dimethyl sulfoxide	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
[·] Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
(Con	td. on page 8)
	—— US —



Safety Data Sheet acc. to OSHA HCS

Printing date 02/16/2021

Trade name: ALT Thixo Liquid

Reviewed on 07/09/2020

(Contd. of page 7)

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

• NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

Employment restrictions concerning young persons must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These figures relate to the product as delivered.

Sector of Use

Relevant identified uses of the mixture

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU19 Building and construction work

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

SU21 Consumer uses: Private households / general public / consumers

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Training hints

Teaching about hazards and precautions to hand the operating instructions (Technical Rule 555). Instruction must take place before the start of employment and at least annually thereafter.

- · Contact:
- · Date of preparation / last revision 02/16/2021 / 17
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Safety Data Sheet acc. to OSHA HCS

Reviewed on 07/09/2020

Printing date 02/16/2021

Trade name: ALT Thixo Liquid

· Sources

www.gestis.de www.echa.eu

logkow.cisti.nrc.ca

•* Data compared to the previous version altered.

(Contd. of page 8)

– US —



S atia da